



NSolid/WindsCustomerCP8077.1ds/addrw 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Last Saved: rbonsor on 15 July 2009 09:45:21 18 19 20
B1 INSTALLATION IF INSTOLUENT GAME TO LIVEST USAN AND THE POPULATION OF ANY OTHER PURCHASH AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IF STAR ANALYSIS IN THE CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IF SHALL NOT BE LOANED OR COPIED OR DOPIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DOPIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DOPIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DOPIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DOPIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DOPIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DANY OTHER PURCHASH AND IS SUPPLIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DANY OTHER PURCHASH AND IS SUPPLIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DANY OTHER PURCHASH AND IS SUPPLIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DANY OTHER PURCHASH AND IS SUPPLIED ON THE EXPRESS ON DITION THAT IF SHALL NOT BE LOANED OR COPIED OR DANY OTHER PURCHASH AND IS SUPPLIED ON THE EXPRESS ON DANY OTHER PURCHASH AND IS SUPPLIED ON THE EXPRESS ON DANY OTHER PURCHASH AND IS SUPPLIED ON THE EXPRESS ON DANY OTHER PURCHASH.	AP Racing Wheler Road
SPARE PARTS LIST	Coventry CV3 4LB
REF QTY / CALIPER PART NO. DESCRIPTION	Tel: *44 024 7663 9595 Fax: *44 024 7663 9559 e-mail: sales@apracing.co.uk
1 CP6518-7LBSSSS 7lb AKB SPRING KIT 2 2 CP6057-104 Ø26mm PISTON	© AP Racing Ltd. 2005 Web site: HTTP://www.apracing.com
2 2 CP6057-104 Ø26mm PISTON 3 2 CP6055-111 Ø1.25" PISTON	Date & No. Particulars
4 2 CP6055-110 Ø1.06 PISTON 5 1 CP4518-BCE HIGH-TEMP SEAL KIT (6 SEALS) (1)	3 SEE SHEET 1 FOR ISSUE CHANGE DETAILS
$\begin{bmatrix} 5 & 1 & CP4518-BCE & HIGH-TEMP SEAL KIT (6 SEALS) \\ \hline 6 & 1 & CP6300-21 & M10 DRY-BREAK CONNECTOR \\ \end{bmatrix} \qquad \begin{bmatrix} 11 & 10 & 7 & 9 \\ 11 & 10 & 7 & 9 \\ \hline 1 & 10 & 10 \\ \hline 1 & 10 \\ \hline 1 & 10 & 10 \\ \hline 1 & 10 \\ \hline 1 & 10 \\ \hline$	
7 2 CP6056-106 MOUNTING BOSS 8 1 CP6160-107 INLET FITTING	
8 1 CP6160-107 INLET FITTING 9 4 CP6075-105 WEARPLATE	
10 4 CP6078-105 PAD SUPPORT	
10 4 ALTERNATIVE PAD SUPPORT FOR IRON PAD SET-UP ONLY	
11 8 CP3215-115 M4 SCREW 12 1 KL44517 COPPER GASKET	
12 1 REHATIT CONTENDENTE	L
FOR CALIPER RE-CONDITIONING INFORMATION SEE AP RACING DATA SHEET P14.101	
SEE AP RACING DATA SHEET P14.101	
	L L L L L L L L L L L L L L L L L L L
	н
	G
	F
'ia so	
idans idans	
	E
the second	
in the second	
	c
A CAR HAN I PH	SCALE 1:1 SHEET 1 OF 3 DRAWN Jon Tait
	APPROVED
/ weight	TITLE B
	6 PISTON MONOBLOC
	RADICAL GT CALIPER
	DRG NO. CP6077-1CD
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	